




**FIRST & ONLY MANUFACTURER
OF ACTIVE LED DISPLAYS IN INDIA**

aaztec
Complete Digital Solutions

SHINE^{PRO}

Outdoor high brightness display



960x960x80mm



90° splicing

Supports up to 45°
cutting angle



Heat dissipation

Efficient heat dissipation on
the back



Common cathode

Reduce power
consumption upto 40%



IP67

Outdoor protection



Front and rear maintenance

10000nits

Up to 10000nits

Ultra-high brightness

Available on Gem



GeM
Government
e Marketplace

Made in India Product






**FIRST & ONLY MANUFACTURER
OF ACTIVE LED DISPLAYS IN INDIA**

aaztec
Complete Digital Solutions

APPLICATION



ADVERTISING & BRANDING (DOOH)



PIXEL PITCH : 4.0MM, 5.7MM, 5.9MM 6.6MM & 8.0MM

Available on Gem



GeM
Government
e Marketplace

Made in India Product



SPECIFICATION	UAV6
Pixel Pitch	6.6 mm
Lamp Make	Nationstar or Equivalent
Pixel Density	22500 dots/m²
Pixel Led	SMD 3in1(Common Cathode)
Module Size	480 x 320 mm
Module Resolution	72 x 48
Cabinet Material	Aluminum Die Cast
Cabinet Size	960 x 960 mm
Cabinet Resolution	144 W x 144 H
Cabinet Weight	11.5Kg
Brightness	≥7500 cd/m²
Brightness Uniformity	97%
Color Temperature	3200~ 9300
Refresh Frequency	>3840 Hz
View Angle	H-160°, V-140°
Contrast Ratio	8500:1
Minimum Viewing Distance	6.0 meter
Input Voltage	AC 220 V ± 5%
Power Consumption	Max- 525 W/m² Ave-200 W/m²
Frame Frequency	>60 Hz/s
Grayscale	16 bit
Application	Outdoor
Work Temperature	-10°C to +50°C
Operating Humidity (Rh)	10% - 90%
IP Rating(F/R)	IP66
Life Span	100000 Hours
Maintenance	Front & Back



**FIRST & ONLY MANUFACTURER
OF ACTIVE LED DISPLAYS IN INDIA**



Why Choose Aaztec Active **LED**

PRODUCT LIFE CYCLE



**ANNUAL PRODUCTION
CAPACITY :150000SQFT.**



**ALL CERTIFICATIONS
(INCLUDING DPIIT, CMMI, ISO.)**



TOLL FREE NO.1800 121 0166



PAN INDIA PRESENCE



MADE IN INDIA PRODUCTS



Head office: 182A, Sector 3, Imt Manesar,
Gurugram, Haryana 122052



Mail: Info@aaztec solution.com



Contact: +91 9810672273, +91 9999162385

www.aaztec solution.com

